

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:ssptacrs1614

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 DEC 01 ChemPort single article sales feature unavailable
NEWS 3 JUN 01 CAS REGISTRY Source of Registration (SR) searching
enhanced on STN
NEWS 4 JUN 26 NUTRACEUT and PHARMAML no longer updated
NEWS 5 JUN 29 IMSCOPROFILE now reloaded monthly
NEWS 6 JUN 29 EPFULL adds Simultaneous Left and Right Truncation
(SLART) to AB, MCLM, and TI fields
NEWS 7 JUL 09 PATDPAFULL adds Simultaneous Left and Right
Truncation (SLART) to AB, CLM, MCLM, and TI fields
NEWS 8 JUL 14 USGENE enhances coverage of patent sequence location
(PSL) data
NEWS 9 JUL 27 CA/CAPLUS enhanced with new citing references
NEWS 10 JUL 16 GBFULL adds patent backfile data to 1855
NEWS 11 JUL 21 USGENE adds bibliographic and sequence information
NEWS 12 JUL 28 EPFULL adds first-page images and applicant-cited
references
NEWS 13 JUL 28 INPADOCDB and INPAFAMDB add Russian legal status data
NEWS 14 AUG 10 Time limit for inactive STN sessions doubles to 40
minutes
NEWS 15 AUG 18 COMPENDEX indexing changed for the Corporate Source
(CS) field
NEWS 16 AUG 24 ENCOMPLIT/ENCOMPLIT2 reloaded and enhanced
NEWS 17 AUG 24 CA/CAPLUS enhanced with legal status information for
U.S. patents
NEWS 18 SEP 09 50 Millionth Unique Chemical Substance Recorded in
CAS REGISTRY
NEWS 19 SEP 11 WPIDS, WPINDEX, and WPIX now include Japanese FTERM
thesaurus

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN customer
agreement. This agreement limits use to scientific research. Use
for software development or design, implementation of commercial
gateways, or use of CAS and STN data in the building of commercial
products is prohibited and may result in loss of user privileges
and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:14:24 ON 18 SEP 2009

=> file registry

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.22

0.22

FILE 'REGISTRY' ENTERED AT 11:14:43 ON 18 SEP 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 16 SEP 2009 HIGHEST RN 1185221-67-3

DICTIONARY FILE UPDATES: 16 SEP 2009 HIGHEST RN 1185221-67-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 26, 2009.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\STNEXP\Queries\09868152a.str



chain nodes :

7 8 9 10 11 12 13 14 15 16 17 18

ring nodes :

1 2 3 4 5 6

chain bonds :

2-7 5-13 7-8 8-9 9-10 10-11 11-12 13-14 14-15 15-16 16-17 17-18

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6

exact/norm bonds :

7-8 8-9 11-12 13-14 14-15 17-18

exact bonds :

2-7 5-13 9-10 10-11 15-16 16-17

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS

L1 STRUCTURE UPLOADED

=> d 11

L1 HAS NO ANSWERS

L1 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s 11 fam ful

FULL SEARCH INITIATED 11:16:36 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 3683 TO ITERATE

100.0% PROCESSED 3683 ITERATIONS

3 ANSWERS

SEARCH TIME: 00.00.01

L2 3 SEA FAM FUL L1

=> d 12 1-3

L2 ANSWER 1 OF 3 REGISTRY COPYRIGHT 2009 ACS on STN

RN 1061600-89-2 REGISTRY

ED Entered STN: 15 Oct 2008


CN 1,4-Benzenedimethanamine, N1,N4-bis(3-aminopropyl)-, hydrochloride (1:4)
 (CA INDEX NAME)

MF C14 H26 N4 . 4 C1 H

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER

CRN (144487-60-5)



● 4 HCl

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 2 OF 3 REGISTRY COPYRIGHT 2009 ACS on STN

RN 181524-47-0 REGISTRY

ED Entered STN: 03 Oct 1996

CN 1,4-Benzenedimethanamine, N,N'-bis(3-aminopropyl)-, tetrakis(trifluoroacetate) (9CI) (CA INDEX NAME)

MF C14 H26 N4 . 4 C2 H F3 O2


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER

CM 1

CRN 144487-60-5


CMF C14 H26 N4



CM 2

CRN 76-05-1

CMF C2 H F3 O2



1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 3 OF 3 REGISTRY COPYRIGHT 2009 ACS on STN

RN 144487-60-5 REGISTRY

ED Entered STN: 13 Nov 1992

CN 1,4-Benzenedimethanamine, N,N'-bis(3-aminopropyl)- (9CI) (CA INDEX NAME)

OTHER NAMES:


CN 1,4-Bis(5-amino-2-azapentyl)benzene

MF C14 H26 N4

CI COM

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPAT2, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

6 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

6 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

80.92

81.14

FILE 'CAPLUS' ENTERED AT 11:16:53 ON 18 SEP 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Sep 2009 VOL 151 ISS 13
FILE LAST UPDATED: 17 Sep 2009 (20090917/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Jun 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Jun 2009

CAPLUS now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2009.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

The ALL, BIB, MAX, and STD display formats in the CA/CAPLUS family of databases have been updated to include new citing references information. This enhancement may impact record import into database management software. For additional information, refer to NEWS 9.

=> s l2
L3 7 L2

=> d l3 ibib abs 1-7

L3 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 2008:1158353 CAPLUS
DOCUMENT NUMBER: 149:394712
TITLE: Nitrogen-containing compounds blocking binding of cytotoxic compounds to the megalin receptor for the prevention of drug-induced cytotoxicity, including nephrotoxicity
INVENTOR(S): Boye, Soeren Valdgaard; Thinggaard, Jacob
PATENT ASSIGNEE(S): Recepticon ApS, Den.
SOURCE: PCT Int. Appl., 131pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	---	-----	-----	-----
WO 2008113364	A2	20080925	WO 2008-DK50070	20080319
WO 2008113364	A3	20090416		
W: AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE,				

KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD,
 ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH,
 PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM,
 TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
 RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU,
 IE, IS, IT, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK,
 TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,
 TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW,
 AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA

PRIORITY APPLN. INFO.: DK 2007-424 A 20070320
 DK 2007-958 A 20070629



AB The invention discloses the use of compds. for the manufacture of a medicament for the prophylaxis and/or treatment of induced cell toxicity, such as nephrotoxicity and ototoxicity, in particular where the cell toxicity is induced by a medical treatment. In an embodiment, the compds. have at least two nitrogen atoms, more preferably at least two amino groups. The compds. of the invention are capable of blocking binding of cytotoxic compds. to the megalin receptor, and thereby inhibiting uptake of the cytotoxic compds. into cells. The invention further discloses compds. for use in the treatment, as well as a method for reducing the cytotoxicity of cytotoxic compds.

L3 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:878166 CAPLUS
 DOCUMENT NUMBER: 141:366226
 TITLE: Preparation of polyamine analogs that activate antizyme frameshifting
 INVENTOR(S): Burns, Mark R.; Graminski, Gerard F.
 PATENT ASSIGNEE(S): Mediquist Therapeutics, Inc., USA
 SOURCE: U.S. Pat. Appl. Publ., 33 pp., Cont.-in-part of U.S. Ser. No. 251,819.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20040209926	A1	20041021	US 2004-810649	20040329
US 7144920	B2	20061205		
US 20040058954	A1	20040325	US 2002-251819	20020923
US 6914079	B2	20050705		
AU 2004319105	A1	20051110	AU 2004-319105	20040329
CA 2555862	A1	20051110	CA 2004-2555862	20040329
EP 1730100	A1	20061213	EP 2004-821940	20040329
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LI, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, LT, LV, MK				
JP 2007537158	T	20071220	JP 2007-506115	20040329
PRIORITY APPLN. INFO.:			US 2002-251819	A2 20020923
			WO 2004-US4339	A 20040213
			WO 2004-US9582	A 20040329

OTHER SOURCE(S): MARPAT 141:366226
 GI



AB Novel polyamines, their synthesis and use in pharmacol., cosmetic or agricultural applications are provided. Novel polyamines having the structure (I) [wherein, $n = 0-8$; the aminomethyl functionality can be ortho, meta or para substituted; $R = H, Me, Et, 2\text{-aminoethyl}, 3\text{-aminopropyl}, 4\text{-aminobutyl}, 5\text{-aminopentyl}, 6\text{-aminohexyl}, 7\text{-aminoheptyl}, 8\text{-aminooctyl}, N\text{-methyl-}2\text{-aminoethyl}, N\text{-methyl-}3\text{-aminopropyl}, N\text{-methyl-}4\text{-aminobutyl}, N\text{-methyl-}5\text{-aminopentyl}, N\text{-methyl-}6\text{-aminohexyl}, N\text{-methyl-}7\text{-aminoheptyl}, N\text{-methyl-}8\text{-aminooctyl}, N\text{-ethyl-}2\text{-aminoethyl}, N\text{-ethyl-}3\text{-aminopropyl}, N\text{-ethyl-}4\text{-aminobutyl}, N\text{-ethyl-}5\text{-aminopentyl}, N\text{-ethyl-}6\text{-aminohexyl}, N\text{-ethyl-}7\text{-aminoheptyl}, N\text{-ethyl-}8\text{-aminooctyl}$; $R_1 = H$, straight or branched C1-20 (un)saturated aliphatic, aliphatic amine (except for propylamine when $R = H, n=1$ and the aminomethyl functionality is para substituted), alicyclic group, single or multi-ring aromatic group, single or multi-ring aryl substituted aliphatic group, aliphatic-substituted single or multi-ring aromatic group, single or multi-ring heterocyclyl, single or multi-ring heterocyclic-substituted aliphatic, aliphatic-substituted aromatic group, halogenated forms thereof; wherein said polyamine is a non-sym. xylene] are prepared Also provided are the use of the polyamines in pharmacol., cosmetic or agricultural applications. The polyamines induce antizyme production which in turn down regulates both the production of polyamines

by ornithine decarboxylase (ODC) and the transport of polyamines by its corresponding polyamine transporter. These compds. will preferably enter the cell independent of the polyamine transporter. As drugs, these compds. are used as fungal, bacterial, viral and parasitic agents or to treat any disease associated with cellular proliferation including cancer, mucositis, asthma, inflammation, autoimmune disease, psoriasis, restentosis, rheumatoid arthritis, scleroderma, systemic and cutaneous lupus erythematosus, Type I insulin dependent diabetes, tissue transplantation, osteoporosis, hyperparathyroidism, treatment of peptic ulcer, glaucoma, Alzheimer's disease, Crohn's disease, and other inflammatory bowel diseases. A series of compds. I were screened for their ability to induce frameshifting using the dual luciferase reporter assay in HEK-293 cells. Some of these compds. induced frameshifting substantially better than spermidine. For example, compound (II) showed the percent relative frameshifting value (% RF) of 150% compared to 25 μM spermidine.

REFERENCE COUNT: 90 THERE ARE 90 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:252193 CAPLUS

DOCUMENT NUMBER: 140:264534

TITLE: Polyamine analogs that activate antizyme framshifting

INVENTOR(S): Burns, Mark R.; Graminski, Gerard F.

PATENT ASSIGNEE(S): Mediquest Therapeutics, Inc., USA

SOURCE: U.S. Pat. Appl. Publ., 29 pp.

CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20040058954	A1	20040325	US 2002-251819	20020923
US 6914079	B2	20050705		
EP 1813636	A1	20070801	EP 2004-78583	20040213
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LI, LU, MC, NL, PT, RO, SE, SI, SK, TR, AL, LT, LV, MK				
US 20040209926	A1	20041021	US 2004-810649	20040329
US 7144920	B2	20061205		
AU 2004319105	A1	20051110	AU 2004-319105	20040329
CA 2555862	A1	20051110	CA 2004-2555862	20040329
WO 2005105729	A1	20051110	WO 2004-US9582	20040329
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1730100	A1	20061213	EP 2004-821940	20040329
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LI, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, LT, LV, MK				
JP 2007537158	T	20071220	JP 2007-506115	20040329
PRIORITY APPLN. INFO.:			US 2002-251819	T0 20020923
			WO 2004-US4339	A 20040213
			WO 2004-US9582	A 20040329

OTHER SOURCE(S): MARPAT 140:264534

AB The invention provides synthesis and use of polyamines in pharmacol., cosmetic or agricultural applications. The polyamines induce antizyme production which in turn down regulates both the production of polyamines by ornithine decarboxylase (ODC) and the transport of polyamines by its corresponding polyamine transporter. These compds. will preferably enter the cell independent of the polyamine transporter. As drugs, these compds. are used to treat any disease associated with cellular proliferation including but not limited to cancer. As such, they will be useful as drugs to treat diseases where components of the immune system undergo undesired proliferation. The compds. will also be effective for the treatment of unwanted proliferation of hair or skin. The invention also identifies key structural elements expected to comprise the antizyme inducing motifs of small mols. related to polyamines.

OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2000:553544 CAPLUS

DOCUMENT NUMBER: 133:164201

TITLE: Preparation of agmatine and polyamine analogs as antizyme modulators for use as drugs and agricultural agents

INVENTOR(S): Vermeulin, Nicolaas M. J.; Burns, Mark R.; Webb,

PATENT ASSIGNEE(S): Heather K.
 SOURCE: Oridigm Corporation, USA
 PCT Int. Appl., 80 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000046187	A2	20000810	WO 2000-US2972	20000204
WO 2000046187	A3	20001214		
W:	AL, AM, AU, AZ, BA, BB, BG, BR, CA, CN, CU, CZ, EE, FI, GE, HU, IL, IS, JP, KG, KP, KR, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, TR, TT, UA, UZ, VN, BY, KZ, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
CA 2362259	A1	20000810	CA 2000-2362259	20000204
EP 1159261	A2	20011205	EP 2000-913365	20000204
EP 1159261	B1	20051102		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI			
JP 2002536357	T	20021029	JP 2000-597259	20000204
JP 4094230	B2	20080604		
AU 778343	B2	20041202	AU 2000-34829	20000204
AT 308515	T	20051115	AT 2000-913365	20000204
JP 2007176948	A	20070712	JP 2007-38690	20070219

PRIORITY APPLN. INFO.:
 US 1999-118892P P 19990205
 JP 2000-597259 A3 20000204
 WO 2000-US2972 W 20000204

AB A polyamine analog of spermine comprising of four amine groups capable of forming four pos. charges at physiol. pH, wherein the first and second amine groups, and the third and fourth amine groups, are separated by the distance of four cC-C and or C-N bonds and the second and third amine are separated by the distance of five C-C and/or C-N bonds or more; wherein the second and third amines are separated by a straight or branched C2-10-alkyl, -alkenyl, -alkynyl, alkoxy, aliphatic; C3-10-alicyclic, single or multi-ring aromatic or aryl; aryl-substituted alkyl, alkenyl, alkynyl; multiring aryl-substituted aliphatic; aliphatic-substituted single or multi-ring aromatic; alkyl-, alkenyl-, alkynyl-substituted aryl; single or multi-ring heterocyclic; single or multi-ring heterocyclic-substituted aliphatic; aliphatic-substituted aromatic; heterocyclic-substituted alkyl, alkenyl, alkynyl; alkyl-, alkenyl-, alkynyl-substituted heterocycle and wherein said analog induces expression of full-length antizyme. The present invention is directed to agmatine and polyamine analogs and their use as drugs, as well as agricultural or environmentally useful agents. As drugs, the analogs decrease cellular polyamine levels, possibly by inducing antizyme, and can be used to treat disorders of undesired cell proliferation, including cancer, viral infections and bacterial infections. The analogs may be utilized in pharmaceutical compns. either alone or in combination with other agents, particularly other inhibitors of polyamine synthesis or transport, but including other inhibitors of cell proliferation. The analogs are not necessarily metabolized to contribute to the polyamine pool and are designed to enter cells by pathways independent of polyamine transport. The invention further defines structural elements/motifs within these analogs that are key to their induction of antizyme.

OS.CITING REF COUNT: 7 THERE ARE 7 CAPLUS RECORDS THAT CITE THIS RECORD (9 CITINGS)

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 1999:794324 CAPLUS
DOCUMENT NUMBER: 132:36027
TITLE: Preparation of butyryl-tyrosinyl spermine analogs which inhibit binding of etiological agent to glutamate receptor
INVENTOR(S): Nakanishi, Koji; Huang, Danwen; Choi, Seok-ki; Kalivretenos, Aristotle; Goodnow, Robert
PATENT ASSIGNEE(S): Trustees of Columbia University, USA
SOURCE: U.S., 81 pp., Cont.-in-part of U. S. 5,770,625.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 3
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6001824	A	19991214	US 1995-376924	19950123
US 5770625	A	19980623	US 1994-275336	19940714
WO 9622962	A1	19960801	WO 1996-US1128	19960123
W: AU, CA, JP, MX, US				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
AU 9651684	A	19960814	AU 1996-51684	19960129
PRIORITY APPLN. INFO.:			US 1988-153151	B2 19880208
			US 1991-701223	B1 19910516
			US 1994-275336	A2 19940714
			US 1995-376924	A 19950123
			WO 1996-US1128	W 19960123

OTHER SOURCE(S): MARPAT 132:36027

AB Compds. R1(CO)nNHCH*(CH2R2)(CH2)tCONH(CH2)mCHR5(CH2)oNH(CH2)p(C6H4-p)jCHR6(CH2)qNH(CH2)rCHR7(CH2)sNR3R4 [R1 = saturated or unsatd. linear or branched chain alkyl, or cholesatnlyl; R2 = 2-, 3-, 4-, or 5-indolyl, 4-hydroxyphenyl, 4-(arylalkyloxy)phenyl, 3,4-dihalophenyl, 4-hydroxy-3,5-dihalophenyl, 4-azidophenyl, 4-halophenyl; R3 = H, alkyl, alkenyl, Ph, 2-, 3-, or 4-azidophenyl, 4-azidobenzoyl, alkenylacyl, N-[N-[N-(4-azidobenzoyl)aminopropyl]aminopropyl], cis- or trans-cinnamyl, 2-amino-2-[(4'-azidophenyl)acetyl], N-(2,2,2-trifluoroethyl)glycyl, D- or L-arginyl or lysyl group bonded through the α -carbonyl moiety; R4 = H, alkyl; R5, R6, R7 = H, alkyl, aryl, arylalkyl; n = 1; j, t = 0; m, o, q, r, s = 1; p = 2; * denotes a D or L configuration], which inhibit binding of an etiol. agent to a glutamate receptor, were prepared Thus, p-nitrophenyl N-butryl-O-benzyl-L-tyrosinate was condensed with spermine in MeOH to give N-butryl-O-benzyl-L-tyrosine spermine amide (I) and bis(N-butryl-O-benzyl-L-tyrosine) spermine amide. I was hydrogenolyzed in the presence of 5% Pd-C in MeOH to give philanthotoxin-343, which showed IC50 = 2.3×10^{-5} for antagonizing the neurally-evoked twitch contraction of the locust Schistocerca gregaria metathoracic extensor tibiae muscle.

OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (4 CITINGS)

REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 1996:593837 CAPLUS
DOCUMENT NUMBER: 125:248490
ORIGINAL REFERENCE NO.: 125:46473a,46476a
TITLE: Butyryl-tyrosinyl spermine and analogs thereof

inhibiting binding of etiological agent to glutamate receptor, and methods of preparing and using same

INVENTOR(S): Nakanishi, Koji; Huang, Danwen; Choi, Seok-Ki; Kalivretenos, Aristotle; Goodnow, Robert

PATENT ASSIGNEE(S): Trustees of Columbia University in the City of New York, USA

SOURCE: PCT Int. Appl., 131 pp.
CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English



FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9622962	A1	19960801	WO 1996-US1128	19960123
W: AU, CA, JP, MX, US				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
US 6001824	A	19991214	US 1995-376924	19950123
AU 9651684	A	19960814	AU 1996-51684	19960129
PRIORITY APPLN. INFO.:			US 1995-376924	A 19950123
			US 1988-153151	B2 19880208
			US 1991-701223	B1 19910516
			US 1994-275336	A2 19940714
			WO 1996-US1128	W 19960123

OTHER SOURCE(S): MARPAT 125:248490

GI



AB Compds. having structure [I; R1 = saturated or unsatd. linear or branched chain alkyl, or cholestanyl; R2 = 2-, 3-, 4-, or 5-indolyl, 4-hydroxyphenyl, 4-(arylalkyloxy)phenyl, 3,4-dihalophenyl, 4-hydroxy-3,5-dihalophenyl, 4-azidophenyl, 4-halophenyl; R3 = H, linear or branched chain alkyl or alkenyl group, or Ph, 2-, 3-, or 4-azidophenyl, alkenylacyl, 3-amino-3-butylpropyl, N-[N-[N-(4-azidobenzoyl)aminopropyl]aminopropyl], cis- or trans-cinnamyl,

2-amino-2-[(4'-azidophenyl)acetyl], (trifluoromethyl)-aminoacetyl, D- or L-arginyl group bonded through the α -carbonyl moiety thereof; R4 = H, linear or branched chain alkyl; R5, R6, R7 = H, linear or branched chain alkyl, aryl, arylalkyl; n, j, t = 0, 1; m, o, p, q, r, s = 0, 1, 2; r + s and m + o = 2; when j = 0, p + q = 2; if j = 1, p = 1, q = 0, and R6 = H; * denotes a D or L configuration], which inhibit binding of an etiol. agent to a quisqualate glutamate receptor, in particular N-methyl-D-aspartate receptor, are prepared Another aspect of the invention concerns a method of treating a subject afflicted by a disorder associated with binding of an etiol. agent to a glutamate receptor. These compds. are useful for treating a neurodegenerative disease (Huntington's disease, Parkinson's disease, or Alzheimer's disease), movement disorder such as epilepsy, or a stroke-related disorder associated with excessive binding of glutamate receptors. An insecticidal composition comprising I is also claimed. Thus, p-nitrophenyl N-butyryl-O-benzyl-L-tyrosinate was condensed with spermine in MeOH to give N-butyryl-O-benzyl-L-tyrosine spermine amide (II) and bis(N-butyryl-O-benzyl-L-tyrosine) spermine amide. II was hydrogenolyzed in the presence of 5% Pd-C in MeOH to give philanthotoxin-343 (III; R = n-Pr). The latter compound and III (R = n-nonyl) showed IC50 of 1.3×10^{-5} and 1.4×10^{-6} M, resp., for antagonizing the neurally-evoked twitch contraction of the locust *Schistocerca gregaria* metathoracic extensor tibiae muscle.

OS.CITING REF COUNT: 9 THERE ARE 9 CAPLUS RECORDS THAT CITE THIS RECORD
(9 CITINGS)

L3 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1992:647274 CAPLUS

DOCUMENT NUMBER: 117:247274

ORIGINAL REFERENCE NO.: 117:42683a,42686a

TITLE: Survey of the DNA binding properties of natural and synthetic polyamino compounds

AUTHOR(S): Stewart, Kent D.; Gray, Thomas A.

CORPORATE SOURCE: Winship Cancer Cent., Emory Univ., Atlanta, GA, 30322, USA

SOURCE: Journal of Physical Organic Chemistry (1992), 5(8), 461-6

CODEN: JPOCEE; ISSN: 0894-3230

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Using a fluorescence-detected ethidium displacement assay, the calf thymus DNA complexation properties of 27 mono-, di-, tetra- and hexacationic polyamines were determined The DNA-binding activity of these polyamine compds. increased with increasing cationic charge on the polyamine. Although most of the compds. exhibited no base pair binding selectivity, two of the tricationic polyamines possessing addnl. neutral amine groups exhibited approx. ten-fold GC binding selectivities.

OS.CITING REF COUNT: 42 THERE ARE 42 CAPLUS RECORDS THAT CITE THIS RECORD (44 CITINGS)

=>